



MilLink Technology

FENCE / DECKING / OUTDOOR PRODUCT



Foshan China

About Us

MilLink Technology committed to the production of WOOD PLASTIC COMPOSITE products and applications. We are committed to providing a variety of service solutions to customers, including design, production, export, after-sales service, etc.



Over years, we've satisfied our many clients with our best equipment, advanced technology, mature workmanship, high quality products, competitive price and comprehensive customer service.



Millink technology committed to using the improved method of wpc products. On the basis of the original WPC products, we combine the wpc with aluminium alloy, glass and grille to create a new generation wpc decorative fence, we make it more stronger, durable and beautiful. We will provide the fence lighting system, based on the idea of low carbon and environmental protection, the solar lights will be the protagonist of our lighting system.



Fence Details



MilLink Fence

The Excellent Performance.



1. Moldproof.
2. Acid-alkali resistant.
3. Easy installation, easy cleaning.
4. Various Styles, wide use.
5. Paint free, formaldehyde-free.




83 Series Aluminium WPC Fence



Model No.:
AP1818A/AP2020A

Standard Size:
1.8m x 1.8m/2.0m x 2.0m






Square section Post

Aluminium combine WPC, more sturdy and durable.

70 Series Aluminum WPC Fence





Model No.:
AP1818C/AP2020C

Standard Size:
1.8m x 1.8m/2.0m x 2.0m












Glass/Aluminium Screen Fence



Model No.
AP1818A-G/A
AP2020A-G/A


Standard Size
1.8m x 1.8m
2.0m x 2.0m






Aluminium Screen WPC Solid Fence







Aluminium / Glass combine WPC, more beautiful and durable.




Installation Guide



Fence Panel Detail Feature




Square Post Detail Feature





Model No.	Figure	Section	Size
ML16922			169 x 22mm
FP18325			183 x 25mm
FP15020			150 x 20mm

Materials / Finish / Colors

Post 70



Post 83



White

Silver

Black



Glass



Aluminum



C00
Black



C01
Black Walnut



C02
Brown



C03
Rose Wood



C04
Gray



C04B
Gray Oak



C06
Yellow



C08
Teak



Wood Grain



Wavy Brushed



Rubbed



Brushed

Full WPC Fence



Model No.:
WF1818A01/WF2020A01

Standard Size:
1.8m x 1.8m/2.0m x 2.0m




WPC Shadow Box Fence



Model No.
WF1818B/WF1818C
WF1818E/WF1818D/WF1818F

Standard Size
1.8m x 1.8m



WF1818B (Shadow Box)

Solar Lights





solar energy/energy conservation



SMD beads/Long service life



Smart wide angle sensor




IP65 Waterproof design



SL-04



SL-01




SL-02



SL-03

Solar Energy Light DIY Customization





Coextrusion WPC Decking (Gen. 2 Technology)

Our decking is one of the advanced WPC material which based on the coextrusion technology. The surface of coextrusion decking covered with the polymer material protective layer, the protective layer and the core are extruded simultaneously without any binder.







Colors



Installation Example



Keel / Edge banding



Coextrusion WPC Decking (Gen. 2 Technology)


- The WPC decking comes in solid & hollow profiles.
- Maintenance Free and recycling.
- Variety of surface treatment options, from the ordinary plane to the wood grain etc.
- The WPC decking use of plastic or stainless steel clips to fix, you can use different clips to determine the width of the gap between the both decking.



M01-138x22.5mm



M02-138x22.5mm



M03-138x22.5mm



M04-138x22.5mm



M05-90x20mm







Conventional Decking Series



Model: DE115H19A
Size: 115mmx19mm



Model: DE145H30B
Size: 145mmx30mm



Model: SL55S10
Size: 55mmx10mm



Model: DE100A20A
Size: 100mmx20mm




Model: DE60S55
Size: 60mmx55mm



Model: DE50H30B
Size: 50mmx30mm



Model: DE40S30B
Size: 40mmx30mm



Size:
135mmx25mm
140mmx25mm
145mmx25mm
150mmx25mm



DIY Decking



HS30S30-1
300×300mm



HS30S30-2
300×300mm



HS30S30-3
300×300mm




HS30S30-4
300×300mm




HS30S30-5
300×300mm



HS30S30-6
300×300mm



HD71S12
71×12mm



Easy to install, the DIY decking use the fasteners to connect, and can be removed at any time.

Applicable to a variety of terrain.

The specifications can be customized according to demand.

The DIY decking can be secured from any side.








WPC Cladding





MilLink Wall Cladding with highly stain & UV resistance, waterproof, making it long lasting and low maintenance.



Model: MP- 01
Size: 150mmx20mm



Model: MP- 02
Size: 150mmx20mm



Model: MP- 03
Size: 150mmx20mm



Model: MP- 04
Size: 150mmx20mm



Model: MP- 05
Size: 150mmx20mm





Gallery



Application: Wall / Ceiling
Apply Method: Horizontal / Vertical (For Wall)



Slat Cladding 121x25mm



Slat Cladding 196x25mm

Accessories

The unique slots design makes the installation very easy, after fixing. While the wallboard can effectively control the thermal expansion and cold contraction of the wallboard.




End Trim 75x54mm



Outside Corner Trim
78x78mm



Square Tube: 60x40mm



Square Tube: 100x50mm




Square Tube: 120x60mm



Stainless Steel Bracket



End Cap



Park Chair

MilLink park chair with widely applied range, suitable for public places and home space. The park chair made with aluminum alloy, stainless steel, iron and the imitation stone etc.



YSL—A2-3



YSL—A2-1



YSL—A1-1



YSL—A13



YSL—A27



YSL—A23



YSL—A4



YSL—A5



YSL—A3





WPC Trash Can



HFS-L301



HFS-L302



HFS-L303



HFS-L304



HFS-L305



HFS-L306



HFS-L307



HFS-L308



HFS-L309

Advantage of the WPC Trash Can

- Maintenance Free
- Environmental Protection
- Recycling
- Easy Installation
- Waterproof
- Anticorrosive
- Moisture-proof
- Insect Prevention



HFS-L310



HFS-L311



HFS-L312



HFS-L313



HFS-L314




HFS-L315



HFS-L316



HFS-L317



HFS-L318



HFS-L319





Foshan MilLink Technology Co., Ltd.

ADD: No.4, Ave 7, 2nd Street, Xiayuan Xincun, Shitou Cun, Chancheng, Foshan,
Guangdong, China.

Contact: (Sales Department) : Smoke Chan,
(After Service) : Raymond Ho,

E-mail: (Sales Department) : smoke@millink.asia
(After Service) : raymond@millink.asia

TEL.: 86-757-83073510

SKYPE: lionheartcvt@163.com

Whatsapp: 86-13822403057

Web: <https://www.millink.asia>

<https://fsmillink.en.made-in-china.com/>

